Extreme gust loads for tall wind turbines

PhD Candidate: René Bos **Department: AWEP** Section: Wind Energy Supervisor: Wim Bierbooms Promotor: Gerard van Bussel Start date: 15-1-2013 Funding: EU (FP7) **Cooperations: INNWIND**



Abstract

VER THE PAST DECADES, there has been a strong trend towards larger wind turbines. Today, 8 MW machines are entering the market while 10–20 MW concepts already lie on the drawing board.

For rotors of this size, weight requirements are very strict and there is little to no room for overdimensioning. It is therefore crucial to make a good prediction of the long-term extreme loads. Generating realistic responses makes it very important to correctly grasp the true nature of atmospheric gusts. One way to achieve this is through constrained stochastic simulation (Bierbooms, 2005), which is an established tool that can be used to generate a time series given some specific constraint. Over the course of this PhD project, this method will be extended in order to make it suitable for very large wind turbines.

How tall is *tall*?

Wind turbines have been gradually scaled up to find the optimum between capital costs, O&M costs and energy yield. Feasibility studies in the scope of the UpWind project (2011) have shown that a big jump

What is a gust?


Wind gusts are often described as a sudden, brief increase in wind speed. This makes sense, seeing as most of what we know about gusts is derived from single-point measurements (e.g. cup anemometers). It also closely matches our own perception, since we as humans are merely small in comparison to the integral length scale of atmospheric turbulence. Therefore, it should come as no surprise that most gust models are transient waveforms with no

lateral components (e.g. $1 - \cos$, step function, various wavelets).

However, we know that this velocity increase cannot extend infinitely in space. Gusts are, in finite volumes of fluid and are directly turbulent transport (Bos, 2013). They because of the velocity difference only between the fluid and an observer-a leaf in experience would hardly definition of a gust qust loading. A true

blade root

towards a 20 MW offshore turbine is technically feasible, which would imply a rotor diameter in the order of **250 m**. This is the scope of the 5-year INNWIND project; an EU initiative coordinated by DTU, featuring TU Delft and 25 other European partners.



Everything breaks

"Anything that can go wrong — will go wrong." Murphy's Law

No design is perfect, and everything is bound to fail sooner or later. However, a designer can aim for a certain return value that results in the most economical probability of failure. Wind turbine design standards prescribe the **50-year extreme gust load**. Formally, this is the highest aerodynamic load that a turbine would experience in 50 years of operation in a turbulent wind field.

References

would be: *the projection* of turbulent momentum advection onto an observer.

fact,

exist

the

are


connected to

Model


Using a sensor array makes it possible to cross-correlate wind speed measurements, which can be Fourier-transformed and matched with a 3D spectral model. Shuffling the wave numbers and amplitudes then allows one to generate a fully stochastic turbulent velocity field. Though, when imposing certain constraints on the randomization, the field can be tailored in such a way that it contains discrete events (gusts) that satisfy certain requirements.

Effect on loads

Constraining gusts in space introduces many new defreedom that increase the computational burden grees of significantly. However, the resulting predictions lie much closer to reality. First results indicate that it may considerably loosen the requirements for extreme loads, leading to lighter and cheaper structures (Bos, 2014).



- Bierbooms, W. A. A. M. (2005). Constrained stochastic simulationgeneration of time series around some specific event in a normal process, *Extremes* 8 (3), pp. 207–224.
- Bos, R., W. A. A. M. Bierbooms (2013). Extreme gust loads for novel wind turbines. In: Proceedings of the 9th PhD seminar on Wind Energy in Europe, 18–20 September 2013, Visby, Sweden.
- Bos, R., W. A. A. M. Bierbooms, G. J. W. van Bussel (2014). Towards spatially constrained gust models [manuscript]. Submitted to: The Science of Making Torque From Wind, 18–20 June 2014, Kgs. Lyngby, Denmark.



(above) Response of the DTU 10 MW reference turbine to a gust of various sizes. The size of the gust has a large impact on the variation in load output. Smaller gusts have a high probability of triggering no response at all, either by missing the rotor blades or landing close to the blade root. Striking is how even the largest gusts-here 2D is equal to 357 m—remain far below the level of the uniform case.





Challenge the future